

Verge Treatment Application Form



FRM Verge Treatment Application REV0

To be completed prior to any alterations to Council verges

Name:	
Property Address:	
Postal Address (if different):	
Contact Details: Home	Mobile:
Email:	

VERGE TREATMENT DETAILS

TYPE OF VERGE TREATMENT	
	✓
Garden	<input type="checkbox"/>
Reticulation	<input type="checkbox"/>
Gravel or aggregate	<input type="checkbox"/>
Minor landscaping	<input type="checkbox"/>
Trees (Provide details of variety)	<input type="checkbox"/>
Other (Provide details)	<input type="checkbox"/>

1. SITE PLAN ATTACHED <input type="checkbox"/>
<i>Site plan showing the site location, location of proposed plantings, list of species to be planted and technical details as necessary</i>
2. FURTHER DETAILS / PROJECT DESCRIPTION:

Important Verge Treatment Notes

- Street trees should maintain the following setbacks: 20m from an intersection, 5m from a crossover, 5m from public utility boxes, 3.25m from neighbouring lot boundaries and 3.2m from the back edge of a kerb
- No plants taller than 75cm in height are to be planted on verges at a road junction or intersection, or in any location where they may obstruct visibility for road users or vehicles exiting from a crossover
- Any gravel or aggregate treatment is to be compacted and maintained so as not to allow loose material to be spread onto the road, footpath or neighbouring properties
- Should the verge treatment become hazardous, the ratepayer agrees to remove the treatment at his/her expense e.g. Remove plants restricting sight distances.
- Approval may generally **not** be given for the following: Rock landscaping, concrete fences of any type, brick paving, terraces, railway sleepers, ornaments and Cacti or any other thorny plants
- Proposals to plant trees will not be supported where there are overhead power lines, underground services or any other notable site constraints
- Approval will generally be granted for the following varieties of street trees:

Native Australian Street Trees	Non-native Street Trees
<ul style="list-style-type: none"> • Dongara Mallee (<i>Eucalyptus dongarensis</i>) • Illyarrie (<i>Eucalyptus erythrocorys</i>) • Rottnest Island Teatree (<i>Melaleuca lanceolata</i>) • Port Jackson Fig (<i>Ficus rubiginosa</i>) • Moreton Bay Fig (<i>Ficus macrophylla</i>) • Callistemon (Kings Park special) • Swamp She Oak (<i>Casurina glauca</i>) • WA Peppermint (<i>Agonis flexuosa</i>) • Bottlebrush (<i>Callistemon</i>) • Norfolk Island Pine (<i>Araucaria heterophylla</i>) 	<ul style="list-style-type: none"> • Poinciana (<i>Delonix regia</i>) • Orchid Tree (<i>Bauhinia blakeana</i>) • Chinese Elm (<i>Ulmus parvifolia</i>) • Crimson Sentry (<i>Acer platanoides</i>) • Field Maple (<i>Acer campestre</i>) • Jacaranda (Various)

Locations of Trees by type

Open spaces in the Town Centre, Moreton Bay Estate, Ocean Drive and Northshore	Moreton Bay Fig, Port Jackson Fig
South Beach	Rottnest Island Teatree, Coast She-oak
Flanagan Way, Pickering Drive, Retreat, Waldeck Street and Church Street	WA Peppermint

Ground Cover

Coastal Pigface (*Carpobrotus virescens*); Coastal Daisy Bush (*Olearia axillaris*); Coastal Rosemary (*Westringia fruticosa*); Glow Wattle (*Acacia lasiocarpa*); Creeping Boobialla (*Myoporum parvifolium*); Silverbush (*Convolvulus cneorum*); Orange Jessamine (*Murraya paniculata*)

Declaration

I have read the important notes. Yes No

I have received a copy of the Shire's Green Infrastructure Strategy and Associated Verge Treatment policy. Yes No

Signature:

Date:

Approval (Office Use Only)

Application:

Approved:

Not Approved:

Comments:

Approving Officer:

Signature:

Date: